

24 February 1997



(Received 27 November 1996)

Abstract

Type material for 116 nominal species of fossil archaeocyathids, poriferans, receptaculitids and stromatoporoids are in the Invertebrate Paleontology Collections of Yale University's Peabody Museum of Natural History. Primary types for 66 nominal species include 51 holotypes and 26 syntypes (representing 15 nominal species). Secondary types for 13 nominal species include 51 paratypes. Tertiary types for 56 nominal species include 174 hypotypes. Most types are from Newfoundland, Quebec, Kentucky, New York State, and Tennessee and have been described by C.E. Beecher, G.H. Girty, James Hall, W.A. Parks, and W.H. Twenhofel.

Key Words

Type Catalog, Archaeocyatha, Porifera, Stromatopoidea, Receptaculitidae, Anticosti Island, Newfoundland, C.E. Beecher, G.H. Girty, James Hall, W.A. Parks, W.H. Twenhofel.

© Copyright 1997 by the Peabody Museum of Natural History, Yale University. All rights reserved. No part of this publication, except brief quotations for scholarly purposes, may be reproduced without written permission of the Director, Peabody Museum of Natural History.

ISBN No. 0-912532-43-2

A Type Catalog of Fossil Invertebrates (Archaeocyatha, Porifera, Receptaculitidae and Stromatopoidea) in the Yale Peabody Museum

Russell D. White

Introduction

This catalog lists all known fossil archaeocyathid, poriferan, receptaculitid and stromatoporoid types in the Invertebrate Paleontology Collections housed in Yale University's Peabody Museum of Natural History. This is the fifth in a series of type catalogs of fossil invertebrates and is a product of an ongoing computerization project to improve the accessibility of the type collections.

Described specimens of *Acrolichas minganensis* (Billings) (YPM 42988), *Beatrixia nodulosa* Billings (YPM 6239), *Eospongia roemerii* (Billings) (YPM 35513 and 35514), syntypes of *Cambrocyathus amourensis* Okulitch (YPM 17048B) and *Stromatocerium canadense minimum* Parks (YPM 42989), and the holotype of *Stromatopora(?) aporita* Parks are missing and cannot be located. The collections have been thoroughly searched by the curatorial staff in the 1960s and 1990s and it is believed that these specimens are permanently lost. Any information on the whereabouts of these specimens would be greatly appreciated.

Organization

Specimens are listed under the originally described binomen; genera and species within genera are presented alphabetically. Each entry includes the catalog number used by the Division of Invertebrate Paleontology prefixed with the coden YPM and the type status of the original designa-

tion, followed by all known references to that name. Any subsequent designations are listed under the original designation and are cross-referenced in the body of the text. Errors and inconsistencies appear in footnotes after the locality description.

The type designations used are holotype, syntype, and neotype for name bearers; paratype and allotype for secondary types; and hypotype for all tertiary types. Name bearers and secondary types are defined as used in the *International Code of Zoological Nomenclature* (ICZN, 1985). Tertiary types or hypotypes are treated here as any described, figured or measured specimen used in a publication to augment the knowledge of a previously defined species, or any referred specimen that cannot be placed unequivocally in a known species (e.g., *Strobilospongia* sp.).

Locality descriptions follow each entry or set of entries with identical locality data. The locality information includes the stratigraphy, geography, collector and date. Stratigraphy has been standardized using *Stratigraphic Nomenclature Databases for the United States, its Possessions and Territories* (MacLachlan et al., 1992). Group, formation and member names are abbreviated with *Grp*, *Fm* and *Mbr* respectively.

Catalog of Archaeocyatha, Porifera, Receptaculitidae and Stromatoporoidea

Acrolichas minganensis (Billings)

HYPOTYPE YPM 42988[†]

Raymond, P.E. 1925. Bull. Mus. Comp. Zool. v.67,n.1,p.125.

Ordovician, Mingan Fm. Twenhoef zone A5, Bald Island, Mingan Islands, Quebec, Canada. Collector: Twenhoef, W.H.

[†]A thorough search of the collections by the curatorial staff in the 1960s and 1980s failed to locate this specimen. It is believed to be permanently lost.

Actinostroma cf. mirum Parks

HYPOTYPE YPM 13245

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.132.

Middle Silurian, Niagaran, La Vieille Fm. Lower La Vieille Fm, near base of section, Black Cape, Quebec, Canada. Collector: Schuchert, C., 08/1905.

Actinostroma mirum Parks

HOLOTYPE YPM 13214

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.6,pl.1,f.5,6.

Parks, W.A. 1935. J. Paleont. v.9,n.1,p.21, pl.7,f.1,2.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.132.

Middle Silurian, Bouleaux Fm. Loose on beach, Anse a La Barbe, Gascons, Quebec, Canada. Collector: Schuchert, C., 1905.

Actinostroma perforatum Parks

HOLOTYPE YPM 13236

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.5,pl.1,f.3,4.

Parks, W.A. 1935. J. Paleont. v.9,n.1,p.27, pl.6,f.8.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.131.

Middle Silurian, Niagaran, La Vieille Fm. Near the top of the limestone, ridge W of Port Daniel RR station which extends from Clemville N to Barrachois, Quebec, Canada. Collector: Schuchert, C., 08/1923.

Actinostroma praecursum Parks

HOLOTYPE YPM 13208

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.4,pl.1,f.1,2.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.131.

Middle Silurian, Niagaran, Bouleaux Fm. Shore of bay, Anse a La Barbe, Quebec, Canada. Collector: Schuchert, C., 08/1905.

Anostylostroma jewetti (Girty)

See *Clathrodictyon jewetti* Girty.

***Archaeoscyphia annulata* Cullison**

HOLOTYPE YPM 17135

Cullison, J.S. 1944. Bull. Tech. Ser. Missouri Univ. Sch. Mines Met. p.48,pl.24,f.10.

Early Ordovician, Jefferson City Grp, Rich Fountain Fm. Chert and dolomite, middle Rich Mountain Fm, E side of road, elevation 1180 ft, US Hwy 63 at its crest over Pilot Knob; NW corner SE1/4NW1/4sec27,T36N,R08W, Phelps Co., Missouri, USA. Collector: Cullison, J.S.

***Archaeosycon vesiculosum* Okulitch**

HOLOTYPE YPM 17046

Okulitch, V.J. 1943. Spec. Pap. Geol. Soc. Am. n.48,p.82,pl.15,f.1.

Nitecki, M.H. 1967 Fieldiana: Geol. v.17, n.2,p.155.

Early Cambrian. Point Amour, Labrador, Newfoundland, Canada. Collector: Dunbar, C.O.

***Aulacera nodulifera* (Foerste)**

HOLOTYPE YPM 9200B

Galloway, J.J. and Joseph St. Jean, Jr. 1961. Bull. Am. Paleont. v.43,n.194,p.36, pl.4,f.3b.

Late Ordovician, Vaureal Fm. Battery Point, Anticosti Island, Quebec, Canada. Collector: Twenhofel, W.H., 1909.

***Aulacera nodulosa* (Billings)**

HYPOTYPE YPM 9200A

Galloway, J.J. and Joseph St. Jean, Jr. 1961. Bull. Am. Paleont. v.43,n.194,p.34.

Late Ordovician, Vaureal Fm. Battery Point, Anticosti Island, Quebec, Canada. Collector: Twenhofel, W.H., 1909.

HYPOTYPE YPM 19556

Galloway, J.J. and Joseph St. Jean, Jr. 1961. Bull. Am. Paleont. v.43,n.194, p.34,pl.12,f.6.

Late Ordovician, Vaureal Fm. Cliff, 0.5 mi W of West Point, Anticosti Island, Quebec, Canada. Collector: Twenhofel, W.H.

***Beatrixia nodulosa* Billings**

HYPOTYPE YPM 6239T

Twenhofel, W.H. 1926. Nat. Hist. v.26,n.5, p.518.

Ordovician, Ellis Bay Fm. Cape James, Anticosti Island, Quebec, Canada.

A thorough search of the collections by the curatorial staff in the 1960s and 1980s failed to locate this specimen. It is believed to be permanently lost.

***Brachiospongia digitata* (Owen)**

HYPOTYPE YPM 4669

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.19,pl.2,f.1,2.

Rauff, H. 1894. Palaeont. (Stuttgart). v.40, p.273,tf.52.

Middle Ordovician, Trenton Limestone. Russell farm, Benson Creek, Franklin Co., Kentucky, USA. Collector: Summers, R.H.

HYPOTYPE YPM 23289

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.19,tf.2.

Middle Ordovician, Trenton Limestone. 2.5 mi S of Frankfort on the Isaac Williams farm on Cedar Run, Franklin Co., Kentucky, USA. Collector: Went, E.C.

HYPOTYPE YPM 23290

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.19,tf.3.

HYPOTYPE YPM 23291

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.19,tf.4.

HYPOTYPE YPM 23292

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.19,pl.2,f.4.

Middle Ordovician, Trenton Limestone. Benson Creek, Franklin Co., Kentucky, USA. Collector: Hovey, H.C.

HYPOTYPE YPM 27601

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.19,pl.2,f.5-7.

Middle Ordovician, Trenton Limestone. Russell farm, Benson Creek, Franklin Co., Kentucky, USA. Collector: Summers, R.H.

HYPOTYPE YPM 27602

Linney, W.M. 1884. Kentucky Geol. Surv. p.13.

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.19,pl.3,f.1.

Foerste, A.F. 1909. Bull. Denison Univ. Sci. Lab. v.14,p.300.

Middle Ordovician, Trenton Limestone. N part of Spencer Co., Kentucky, USA. Collector: Linney, W.M.

HYPOTYPE YPM 27608

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.19,pl.4,f.1.

Rauff, H. 1894. Palaeont. (Stuttgart). v.40, p.274,tf.54.

Middle Ordovician, Trenton Limestone. Brachiosponge bed, Benson Creek, Franklin Co., Kentucky, USA. Collector: Hovey, H.C.

HYPOTYPE YPM 27609[†]

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.19,pl.4,f.3.

Middle Ordovician, Trenton Limestone. Benson Creek, Franklin Co., Kentucky, USA. Collector: Hovey, H.C.

HYPOTYPE YPM 27610

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.19,pl.4,f.4.

Middle Ordovician, Trenton Limestone. Benson Creek, Franklin Co., Kentucky, USA.

HYPOTYPE YPM 27611

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.19,pl.4,f.5.

Middle Ordovician, Trenton Limestone. Benson Creek, Franklin Co., Kentucky, USA.

HYPOTYPE YPM 27612[†]

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.19,pl.4,f.7.

Middle Ordovician, Trenton Limestone. Benson Creek, Franklin Co., Kentucky, USA. Collector: Hovey, H.C.

HYPOTYPE YPM 28147

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.19,pl.4,f.2.

Middle Ordovician, Trenton Limestone. Brachiosponge bed, Benson Creek, Franklin Co., Kentucky, USA. Collector: Hovey, H.C.

HYPOTYPE YPM 30063

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.19,pl.2,f.3.

Middle Ordovician, Trenton Limestone. Benson Creek, Franklin Co., Kentucky, USA. Collector: Hovey, H.C.

[†]This specimen includes one thin section.

See also *Brachiospongia hoveyi* (Marsh), *Brachiospongia lyonii* Marsh and *Brachiospongia roemerana* Marsh.

***Brachiospongia hoveyi* (Marsh)[†]**

HYPOTYPE YPM 27615^{††}

Hovey, H.C. 1875. Trans. Kansas Acad. Sci., 1874 v.3,p.11,tf.2.

=*Brachiospongia digitata* (Owen). Hypotype. Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.7.

=*Brachiospongia digitata* (Owen). Hypotype. Rigby, J.K. and M.H. Nitecki. 1968. Fieldiana: Geol. v.18,n.1,p.56.

Middle Ordovician, Trenton Limestone. Brachiosponge bed, Benson Creek area, Franklin Co., Kentucky, USA. Collector: Hovey, H.C.

[†]This taxon, *Brachiospongia hoveyi* (Marsh), is a nomen nudum. *B. hoveyi* was proposed by Marsh (1868) in a paper he read before the American Association for the Advancement of Science. Only the title of Marsh's paper was published; no description of *B. hoveyi* was published.

^{††}This is a replica. The whereabouts of the actual specimen is unknown.

***Brachiospongia lyonii* Marsh**

HOLOTYPE YPM 27616[†]

Marsh, O.C. 1867. Am. J. Sci. ser.2,v.44, n.30,p.88.

=*Brachiospongia digitata* (Owen). Hypotype. Rigby, J.K. and M.H. Nitecki. 1968. Fieldiana: Geol. v.18,n.1,p.76.

Middle Ordovician, Trenton Limestone. S fork of Benson Creek, Franklin Co., Kentucky, USA. Collector: Lyon, W.T.

[†]This is a replica. The whereabouts of the actual specimen is unknown.

***Brachiospongia roemerana* Marsh**

HOLOTYPE YPM 23288

Marsh, O.C. 1867. Am. J. Sci. ser.2,v.44, n.30,p.38.

Hovey, H.C. 1875. Trans. Kansas Acad. Sci., 1874. v.3,p.10,tf.1.

=*Brachiospongia digitata* (Owen).

Hypotype. Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2, pt.1,p.19,tf.1,pl.1,f.1,2.

=*Brachiospongia digitata* (Owen).

Hypotype. Rauff, H. 1894. Palaeont. (Stuttgart). v.40, tf.53.

=*Brachiospongia digitata* (Owen). Hypotype.

Rigby, J.K. and M.H. Nitecki. 1968. Fieldiana: Geol. v.18,n.1,p.76.

Middle Ordovician, Trenton Limestone., Brachiospongia bed, Frankfort area, Franklin Co., Kentucky, USA.

***Calathospongia carceralis* Hall and Clarke**

HYPOTYPE YPM 13660

Caster, K.E. 1939. J. Paleont. v.13,n.1, p.13,pl.4,f.5,6.[†]

Mississippian, Tidioute Shale. Part of a sponge mat, "Yankee Bush" Hill, Warren, Warren Co., Pennsylvania, USA. Collector: Beecher, C.E.

[†]The image is reversed on pl.4,f.6.

***Calathospongia carilli* Hall and Clarke**

SYNTYPE YPM 24828

Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.158,tf.21.

Early Mississippian, Waverly Grp. Sandstone of the Waverly Grp at Warren, Warren Co., Pennsylvania, USA. Collector: Beecher, C.E.

***Cambrocyathus amourensis* Okulitch**

SYNTYPE YPM 17041

Okulitch, V.J. 1943. Spec. Pap. Geol. Soc. Am. n.48,p.76,pl.10,f.3,pl.11,f.3.[†]

=*Pycnoidocyathus amourensis*. Nitecki, M.H. 1967 Fieldiana: Geol. v.17,n.2,p.192.

Early Cambrian. East of Anse Eclair, Newfoundland, Canada. Collector: Dunbar, C.O.

SYNTYPE YPM 17042A

Okulitch, V.J. 1943. Spec. Pap. Geol. Soc. Am. n.48,p.76,pl.9,f.3-B.

=*Pycnoidocyathus amourensis*. Nitecki, M.H. 1967 Fieldiana: Geol. v.17,n.2,p.192.

SYNTYPE YPM 17042B

Okulitch, V.J. 1943. Spec. Pap. Geol. Soc. Am. n.48,p.76,pl.9,f.3-B,pl.11,f.1.^{††}

=*Pycnoidocyathus amourensis*. Nitecki, M.H. 1967 Fieldiana: Geol. v.17,n.2,p.192.

SYNTYPE YPM 17042C

Okulitch, V.J. 1943. Spec. Pap. Geol. Soc. Am. n.48,p.76,pl.9,f.3-B.

=*Pycnoidocyathus amourensis*. Nitecki, M.H. 1967 Fieldiana: Geol. v.17,n.2,p.192.

Early Cambrian. Taylor's Gulch, Labrador, Newfoundland, Canada. Collector: Dunbar, C.O.

SYNTYPE YPM 17048B^{†††}

Okulitch, V.J. 1943. Spec. Pap. Geol. Soc. Am. n.48, pl.14,f.5.^{††††}

Nitecki, M.H. 1967 Fieldiana: Geol. v.17, n.2,p.179.

Early Cambrian. Point Amour, Labrador, Newfoundland, Canada. Collector: Dunbar, C.O.

[†]Incorrectly cited as 17042 on pl.11,f.3.

^{††}Incorrectly cited as 17041 on pl.11,f.1.

^{†††}A thorough search of the collections by the curatorial staff in the 1960s and 1980s failed to locate this specimen. It is believed to be permanently lost.

^{††††}Two trays of sawed specimens exist labeled "Cotypes". One of the trays has four sawed pieces (YPM 17048A) that may belong to the single large piece (YPM 17048B) in the other tray, but they do not appear to match. It appears that, the thin section figured by Okulitch (1943)

on pl.17,f.1 and Okulitch (1946) pl.41,f.1,2 of *Exocyathus canadensis* (ROM slide 67) with an overgrowth of *Cambrocyathus amourensis* was made from YPM 17048, not YPM 25643 (25643 is a ROM number), as stated in the plate explanation.

***Cambrocyathus profundus* (Billings)**

HYPOTYPE YPM 17044A, 17044B

Okulitch, V.J. 1943. Spec. Pap. Geol. Soc. Am. n.48,p.72,pl.9,f.3A.

Early Cambrian. Taylor's Gulch, Labrador, Newfoundland, Canada. Collector: Dunbar, C.O.

***Caryospongia cf. juglans* (Quenstedt)**

HYPOTYPE YPM 13298

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.33,pl.7,f.2.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.130.

HYPOTYPE YPM 30879, 30880

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.33.

Middle Silurian, Niagaran, La Vieille Fm. Knobby layers in lower part of fm, shore of Port Daniel Barrachois, W side, just N of Legrande Hotel, Quebec, Canada. Collector: Dart, J.D., 1922.

***Ceratodictya annulata* (Hall)**

HYPOTYPE YPM 24829

Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.120,pl.22,f.3,4.

Late Devonian, Chemung Fm. Deyo Basin, Naples, Ontario Co., New York, USA. Collector: Clarke, J.M.

***Chaunactis* sp. 1**

HYPOTYPE YPM 19607B

Finks, R.M. 1960. Bull. Am. Mus. Nat. Hist. v.120,art.1,p.95,pl.30,f.1,4,5.

HYPOTYPE YPM 19607C

Finks, R.M. 1960. Bull. Am. Mus. Nat. Hist. v.120,art.1,p.95,pl.30,f.6.

HYPOTYPE YPM 19607D

Finks, R.M. 1960. Bull. Am. Mus. Nat. Hist. v.120,art.1,p.95.

Early Permian, Leonardian, Leonard Fm. Section 12, upper part of bed 24, SW side of hill 4920, Glass Mountains, Brewster Co., Texas, USA. Collector: King, R.E.

***Chaunactis* sp. 2**

HYPOTYPE YPM 19605A

Finks, R.M. 1960. Bull. Am. Mus. Nat. Hist. v.120,art.1,p.95,pl.31,f.1,3.

HYPOTYPE YPM 19605B

Finks, R.M. 1960. Bull. Am. Mus. Nat. Hist. v.120,art.1,p.95,pl.31,f.2.

HYPOTYPE YPM 19605C - 19605G

Finks, R.M. 1960. Bull. Am. Mus. Nat. Hist. v.120,art.1,p.95.

Permian, Word Fm. Fourth limestone, Section 17, N of junction of Road and Gilliland Canyons, Glass Mountains, Brewster Co., Texas, USA. Collector: King, R.E.

HYPOTYPE YPM 19607A

Finks, R.M. 1960. Bull. Am. Mus. Nat. Hist. v.120,art.1,p.95,pl.30,f.2,3.

Early Permian, Leonardian, Leonard Fm. Section 12, upper part of bed 24, SW side of hill 4920, Glass Mountains, Brewster Co., Texas, USA. Collector: King, R.E.

***Clathrodictyon crickmayi* Parks**

HYPOTYPE YPM 13221

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.133.

Stearn, C.W. and Claude Hubert. 1966. Can. J. Earth Sci. v.3,p.35,tbl.2.

Middle Silurian, La Vieille Fm. SW corner of barachois, Port Daniel Gaspe Peninsula, Quebec, Canada. Collector: Schuchert, C., 1924.

***Clathrodictyon jewetti* Girty**

HOLOTYPE YPM 22459†

Girty, G.H. 1895. New York St. Mus., 48th Ann. Rpt., 1894. v.2,p.298,pl.6,f.5,6.

Parks, W.A. 1909. Toronto Univ. Stud. Geol. Ser. n.6,p.247,pl.16,f.1,2,††

Parks, W.A. 1936. Toronto Univ. Stud. Geol. Ser. n.39,p.36,pl.7,f.8,pl.8,f.8.†††

=*Anostylostrioma jewetti*. Stock, C.W. 1988. J. Paleont. v.62,n.1,p.10,tbl.1,tf.3.1-4.

Early Devonian, Helderberg Grp, Coeymans Limestone. Cedarville, Albany Co., New York, USA.

†This specimen includes three thin sections (22459A-24459C).

††Both the thin section illustrated in pl.16,f.1 and the thin section illustrated in pl.16,f.2 were cut from the same hand specimen. The former thin section, located in the Royal Ontario Museum, has been given to Peabody; the later thin section has not been located.

†††Described as the "holotype" on p.38, but this specimen was not designated in Girty (1895).

***Clathrodictyon regulare* von Rosen**

HYPOTYPE YPM 13227

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.132.

HYPOTYPE YPM 13228

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.8,pl.1,f.7,8.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.132.

Stearn, C.W. and Claude Hubert. 1966. Can. J. Earth Sci. v.3,p.36.

Middle Silurian, La Vieille Fm. SW corner of barachois, Port Daniel Gaspe Peninsula, Quebec, Canada. Collector: Schuchert, C., 1924.

HYPOTYPE YPM 13264, 13272

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.132.

Middle Silurian, Niagaran, La Vieille Fm. Along RR cut just W of Yale Peabody Museum Invertebrate Paleontology Locality B0900, W of water tower, Anse a La Vieille, Quebec, Canada. Collector: Northrop, S.A., 1927.

***Clathrodictyon cf. regulare* von Rosen**

HYPOTYPE YPM 13230

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.132.

Middle Silurian, La Vieille Fm. SW corner of barachois, Port Daniel Gaspe Peninsula, Quebec, Canada. Collector: Schuchert, C., 1924.

HYPOTYPE YPM 13248

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.132.

Middle Silurian, Niagaran, West Point Fm. Beach shingle derived from zone 21, shore section E of Black Cape, Quebec, Canada. Collector: Northrop, S.A., 1927.

HYPOTYPE YPM 13271

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.132.

Middle Silurian, Niagaran, West Point Fm. (intermediate beds); Pillar Point, E of McGinnis Cove, Quebec, Canada. Collector: Dart, J.D., 1922.

***Clathrodictyon regulare* var. von Rosen**

HYPOTYPE YPM 13229

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.132.

Middle Silurian, La Vieille Fm. SW corner of barachois, Port Daniel Gaspe Peninsula, Quebec, Canada. Collector: Schuchert, C., 1924.

***Clathrodictyon* sp. A**

HYPOTYPE YPM 13255

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.132.

Middle Silurian, La Vieille Fm. SW corner of barachois, Port Daniel Gaspe Peninsula, Quebec, Canada. Collector: Schuchert, C., 1924.

***Clathrodictyon* sp. B**

HYPOTYPE YPM 13234, 13239

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.134.

Middle Silurian, Niagaran, Gascons Fm. *Monograptus* zone; at the little stream which plunges over the cliff on the S side of Port Daniel Bay, Quebec, Canada. Collector: Schuchert, C., 08/1923.

***Clathrodictyon stylotum* Parks**

HOLOTYPE YPM 13304

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.10,pl.2,f.7,8,pl.3, f.1,pl.8,f.1.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.133.

Middle Silurian, Niagaran, Gascons Fm. Stream drift, Little Port Daniel River, lower third of Range VI, Quebec, Canada. Collector: Northrop, S.A., 1927.

HYPOTYPE YPM 13307

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.133.

Middle Silurian, Niagaran, Gascons Fm. *Monograptus* zone; at the little stream which plunges over the cliff on the S side of Port Daniel Bay, Quebec, Canada. Collector: Schuchert, C., 08/1923.

***Clathrodictyon stylotum crassum* Parks**

HOLOTYPE YPM 13302

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.12,pl.3,f.2,3.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.134.

Middle Silurian, West Point Fm. 1 mi W of West Point Lighthouse, Port Daniels, Quebec, Canada. Collector: Schuchert, C., 1924.

HYPOTYPE YPM 13301

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.133.

Middle Silurian, Niagaran. Beach shingle at Sandy Cove between West Point and Indian Point, Quebec, Canada. Collector: Northrop, S.A., 1927.

HYPOTYPE YPM 13303

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.133.

Middle Silurian, West Point Fm. 1 mi W of West Point Lighthouse, Port Daniels, Quebec, Canada. Collector: Schuchert, C., 1924.

HYPOTYPE YPM 13305

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.133.

Middle Silurian, Niagaran, West Point Fm. Shore, W of lighthouse [W of Yale Peabody Museum Invertebrate Paleontology Locality B950] between West Point and Indian Point, Quebec, Canada. Collector: Northrop, S.A., 1927.

HYPOTYPE YPM 13308

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.133.

Middle Silurian, Niagaran, West Point Fm. Beach pebble at outcrop, shore between West Point and Indian Point, Quebec, Canada. Collector: Northrop, S.A., 1927.

***Clathrodictyon variolare* von Rosen**

HYPOTYPE YPM 13260

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.8,pl.2,f.1.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.132.

Middle Silurian, Niagaran, Gascons Fm. Dark green shale at mouth of Chourinard Brook E of Gascons, Quebec, Canada. Collector: Schuchert, C., 08/1923.

***Clathrodictyon vesiculosum minutum* (Rominger)**

HYPOTYPE YPM 13219

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.9,pl.2,f.3.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.133.

Middle Silurian, Bouleaux Fm. Loose on beach, Anse a La Barbe, Gascons, Quebec, Canada. Collector: Schuchert, C., 1905.

***Clathrodictyon vesiculosum* var. nov. Parks**

HOLOTYPE YPM 13449

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.9,pl.2,f.2.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.132.

Middle Silurian, Niagaran, Clemville Fm. *Camarotoechia fringilla* zone, Little Port Daniel River, about 0.25 mi up stream from bridge, outskirts of Clemville, Quebec, Canada. Collector: Schuchert, C., 08/1923.

***Clathrospongia abacus* (Hall)**

See *Dictyophyton (Clathrospongia) abacus* Hall.

***Dictyophyton (Clathrospongia) abacus* Hall**

HYPOTYPE YPM 24831

Hall, James. 1884. New York St. Mus., 35th Ann. Rpt., 1883. p.474,pl.19,f.2,4.

=*Clathrospongia abacus* (Hall). Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.153,pl.49,f.5-7.

HYPOTYPE YPM 24832

Hall, James. 1884. New York St. Mus., 35th Ann. Rpt., 1883 p.474,pl.19,f.23.

=*Clathrospongia abacus* (Hall). Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.153,pl.49,f.8.

Early Mississippian, Waverly Grp. Sandstone of the Waverly Grp at Warren, Warren Co., Pennsylvania, USA. Collector: Beecher, C.E.

***Ectenodictya expansa* Hall**

SYNTYPE YPM 24835[†]

Hall, James. 1884. New York St. Mus., 35th Ann. Rpt., 1883. p.475,pl.20,f.10.

Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.154,pl.53,f.3.

Early Mississippian, Waverly Grp. Sandstone of the Waverly Grp at Warren, Warren Co., Pennsylvania, USA. Collector: Beecher, C.E.

[†]Labeled and marked with a red star as a type by C.E. Beecher.

***Ectenodictya implexa* Hall**

SYNTYPE YPM 24830[†]

Hall, James. 1884. New York St. Mus., 35th Ann. Rpt., 1883. p.475,pl.19,f.1.

Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.164,pl.54,f.3.

Early Mississippian, Waverly Grp. Sandstone of the Waverly Grp at Warren, Warren Co., Pennsylvania, USA. Collector: Beecher, C.E.

[†]Labeled and marked as type with red star by C.E. Beecher.

***Eospongia roemerii* (Billings)**

HYPOTYPE YPM 26210

Twenhofel, W.H. 1938a. Spec. Pap. Geol. Soc. Am. n.11,p.35,pl.5,f.3.

Ordovician, Mingan Fm. Sea Cow Island, Mingan Islands, Quebec, Canada. Collector: Twenhofel, W.H.

HYPOTYPE YPM 32678[†]

Twenhofel, W.H. 1938a. Spec. Pap. Geol. Soc. Am. n.11,p.35.

Ordovician, Mingan Fm. Sea Cow Island, Mingan Islands, Quebec, Canada. Collector: Twenhofel, W.H.

HYPOTYPE YPM 35513^{††}, 35514^{††}

Twenhofel, W.H. 1938a. Spec. Pap. Geol. Soc. Am. n.11,p.35.

Ordovician, Mingan Fm. Lower 50 or 60 feet of the Mingan Fm on Quarry or Sea Cow Islands or Clearwater Point, Gaspe Peninsula, Quebec, Canada. Collector: Twenhofel, W.H.

[†]This specimen lot is represented by fifteen individuals.

^{††}A thorough search of the collections by the curatorial staff in the 1960s and 1980s failed to locate these specimens. They are believed to be permanently lost.

***Eospongia varians* Billings**

HYPOTYPE YPM 26211

Twenhofel, W.H. 1938a. Spec. Pap. Geol. Soc. Am. n.11,p.36,pl.5,f.2.

HYPOTYPE YPM 32682[†], 32688[†]

Twenhofel, W.H. 1938a. Spec. Pap. Geol. Soc. Am. n.11,p.35.

Ordovician, Mingan Fm. Eskimo Island, Mingan Islands, Quebec, Canada. Collector: Twenhofel, W.H.

[†]These two specimen lots are represented by twelve and six individuals, respectively.

***Gaspespongia basalis* Parks**

HOLOTYPE YPM 13282

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.35,pl.7,f.3,4.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.130.

Rigby, J.K. 1967. J. Paleont. v.41,n.3,p.774, pl.102,f.6-8.

Middle Silurian, Niagaran, La Vieille Fm. *Stricklandia* zone W end of section, Black Cape, Quebec, Canada. Collector: Schuchert, C., 08/1905.

***Girtycoelia dunbari* King**

HOLOTYPE YPM 16595

King, R.H. 1943. Bull. Kansas Geol. Surv. n.47,pt.1,p.33,pl.3,f.6.

Early Permian, Leonardian, Leonard Fm. First limestone member, or slightly below, at W end of Dugout Mt, Glass Mountains, Brewster Co., Texas, USA. Collector: King, R.E.

***Goldsonia burntensis* Shrock and Twenhofel**

HOLOTYPE YPM 25597[†]

Shrock, R.R. and W.H. Twenhofel. 1939. J. Paleont. v.13,n.3,p.247,pl.27,f. 2,3.

¹=*Ischadites burntensis*. Nitecki, M.H. 1972. Fieldiana: Geol. v.28,p.77,f.35.

Early Silurian, Pike Arm Fm. Fossiliferous black argillite, Burnt Island in Goldson Arm near New World Island, Newfoundland, USA. Collector: Twenhofel, W.H., 1936.

[†]This specimen includes two thin sections (25597 A-25597B).

***Habrostoma barritti* (Girty)**

See *Syringostroma barretti* Girty.

***Habrostoma centrotum* (Girty)**

See *Syringostroma centrotum* Girty.

***Habrostoma consimile* (Girty)**

See *Syringostroma consimile* Girty.

***Habrostoma foveolatum* (Girty)**

See *Syringostroma foveolatum* Girty.

***Habrostoma microporum* (Girty)**

See *Syringostroma consimile* Girty and *Syringostroma microporum* Girty.

***Hindia fibrosa* (Roemer)**

HYPOTYPE YPM 30861

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.130.

Middle Silurian, Indian Point Fm. Shore at Indian Point, Port Daniel, Quebec, Canada. Collector: Schuchert, C., 1924.

***Hyalostelia anticostiana* Twenhoefel**

HOLOTYPE YPM 10404[†]

Twenhoefel, W.H. 1928. Mem. Can. Geol. Surv. n.154,p.103,pl.1,f.2.

=*Twenhofeella anticostiana*. Rigby, J.K. 1974. Can. J. Earth Sci. v.11,n10,tf.3a-3c.

Silurian, Jupiter Fm. W of Jupiter River, Anticosti Island, Quebec, Canada. Collector: Twenhoefel, W.H.

[†]This specimen includes two thin sections (10404A and 10404B) and one mold.

***Hydnoceras phymatodes* Hall and Clarke**

SYNTYPE YPM 4657

Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.104,pl.6,f.4,5.

Late Devonian, Chemung Grp. Bath, Steuben Co., New York, USA.

***Hydnoceras tuberosum* Conrad**

HYPOTYPE YPM 24826

Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.97,pl.6,f.3(left).

HYPOTYPE YPM 28134

Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.97,pl.6,f.3(right).

Late Devonian, Chemung Fm. Cohocton, Steuben Co., New York, USA. Collector: Clarke, J.M.

***Hydnoceras variabile* Hall and Clarke**

SYNTYPE YPM 24827

Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.108,pl.37,f.4,6.

Late Devonian, Chemung Fm. Deyo Basin, Naples, Ontario Co., New York, USA. Collector: Clarke, J.M.

***Hydriodictya cylix* Hall and Clarke**

SYNTYPE YPM 24833

Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.78,pl.16,f.2,pl.55, f.7.

SYNTYPE YPM 28133

Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.78,pl.5,f.1,2.

Late Devonian, Chemung Fm. Deyo Basin, Naples, Ontario Co., New York, USA. Collector: Clarke, J.M.

***Ischadites burntensis* (Shrock and Twenhofel)**

See *Goldsonia burntensis* Shrock and Twenhofel.

***Ischadites cf. koenigi* Murchinson**

HYPOTYPE YPM 22760

Twenhofel, W.H. 1928. Mem. Can. Geol. Surv. n.154,p.103.

Silurian, Jupiter Fm. W of Jupiter River, Anticosti Island, Quebec, Canada. Collector: Twenhofel, W.H., 1909.

***Ischadites koenigi* Murchinson**

See *Receptaculites pedunculatus* Twenhofel.

***Ischadites rhomboideus* Twenhofel**

HOLOTYPE YPM 15296A

Twenhofel, W.H. 1938a. Spec. Pap. Geol. Soc. Am. n.11,p.36,pl.6,f.4.

HYPOTYPE YPM 15296B

Twenhofel, W.H. 1938a. Spec. Pap. Geol. Soc. Am. n.11,p.36.

Ordovician, Mingan Fm. Bald Island, Mingan Islands, Quebec, Canada. Collector: Twenhofel, W.H.

***Jereina ramosa* Finks**

PARATYPE YPM 19589

Finks, R.M. 1960. Bull. Am. Mus. Nat. Hist. v.120,art.1,p.75.

Permian, Word Fm. Lower limestone, Section 12, 0.25 mi S of locality B3074, and 0.2 mi E of locality B3075, Glass Mountains, Brewster Co., Texas, USA. Collector: King, R.E.

***Newella mira* (Newell)**

See *Parallelopora mira* Newell.

***Ozarkocoelia irregularis* Cullison**

HOLOTYPE YPM 17136

Cullison, J.S. 1944. Bull. Tech. Ser. Missouri Univ. Sch. Mines Met. p.47,pl.24,f.1-8.

Early Ordovician, Jefferson City Grp, Rich Fountain Fm. residual chert and in place, immediate vicinity of the Missouri School of Mines and Metallurgy Experimental Mine, elevation 1000ft; SE corner SW1/4SW1/4 sec10,T37N,R08W, Phelps Co., Missouri, USA. Collector: Cullison, J.S.

PARATYPE YPM 17137

Cullison, J.S. 1944. Bull. Tech. Ser. Missouri Univ. Sch. Mines Met. p.47.

Early Ordovician, Jefferson City Grp, Rich Fountain Fm. *Ozarkocoelia* zone, top of School Mine ledge, S side of road below house, Osage Co Hwy "E"; SE corner NW1/4sec15,T42N, R09W, Osage Co., Missouri, USA. Collector: Cullison, J.S.

***Parallelopora mira* Newell**

PARATYPE YPM 24754†

Newell, N.D. 1935. J. Paleont. v.9,n.4,p.341.

=*Newella mira* (Newell). Wood, R., J. Reitner, and R.R. West. 1989. Lethaia. v.22,n.1,p.87.

PARATYPE YPM 24754A

Newell, N.D. 1935. J. Paleont. v.9,n.4,p.341.

Hartman, W.D. and T.F. Goreau. 1970. Sym. Zool. Soc. London. p.225,f.15.

=*Newella mira* (Newell). Wood, R., J. Reitner, and R.R. West. 1989. Lethaia. v.22,n.1,p.87.

Late Pennsylvanian, Lansing Grp, Vilas Shale. Near center SW Sec11T20SR19E, base of Vila, at a RR quarry, Anderson Co., Kansas, USA. Collector: Newell, N.D.

†This specimen lot is represented by 13 individuals.

***Parallelostroma barretti* (Girty)**

See *Syringostroma barretti* Girty.

?*Parallelostroma centrotum* (Girty)

See *Syringostroma centrotum* Girty.

Paralelostroma foveolatum* (Girty)**See *Syringostroma foveolatum* Girty.Paralelostroma microporum* Girty**See *Syringostroma barretti* Girty.**?*Paralelostroma microporum* (Girty)**See *Syringostroma consimile* Girty and
Syringostroma microporum Girty.***Pattersonia tuberosa* (Beecher)**See *Strobilospongia tuberosa* Beecher.***Physospongia dawsoni* (Whitfield)**

HYPOTYPE YPM 24834

Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.189,pl.62,f.8.

Early Mississippian, Edwardsville Fm.
Crawfordsville, Montgomery Co., Indiana, USA.
Collector: Bradley, F.H.***Pleurostoma subundata* Northrop**

HOLOTYPE YPM 13321

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.209,pl.22,f.2.

Middle Silurian, Indian Point Fm. Shore at Indian Point, Port Daniel, Quebec, Canada. Collector: Schuchert, C., 1924.

***Protopharetra dunbari* Okulitch**

SYNTYPE YPM 17043

Okulitch, V.J. 1943. Spec. Pap. Geol. Soc. Am. n.48,p.71,pl.6,f.5,pl.9,f.3(lower center).

Nitecki, M.H. 1967 Fieldiana: Geol. v.17, n.2,p.187.

Early Cambrian. Taylor's Gulch, Labrador, Newfoundland, Canada. Collector: Dunbar, C.O.

Pycnoidocyathus amourensis* (Okulitch)**See *Cambrocyathus amourensis* Okulitch.Receptaculites infundibuliformis* Eaton**

HYPOTYPE YPM 27025

Girty, G.H. 1895. New York St. Mus., 48th Ann. Rpt., 1894. v.2,p.271,pl.3,f.3,4.

HYPOTYPE YPM 27026

Girty, G.H. 1895. New York St. Mus., 48th Ann. Rpt., 1894. v.2,p.271,pl.2,f.4-6,pl.3,f.2.

Early Devonian, Helderberg Grp. Clarksville, Albany Co., New York, USA. Collector: Beecher, C.E.

HYPOTYPE YPM 35516

Hall, James and G.B. Simpson. 1887. Paleont. New York. v.6,p.290.

Early Devonian, Helderberg Grp. Lower Helderberg, Clarksville, Albany Co., New York, USA.

HYPOTYPE YPM 63284

Girty, G.H. 1895. New York St. Mus., 48th Ann. Rpt., 1894. v.2,p.271.

Early Devonian, Helderberg Grp. Clarksville, Albany Co., New York, USA. Collector: Beecher, C.E.

See also *Receptaculites monticulatus* Hall.***Receptaculites monticulatus* Hall**

HOLOTYPE YPM 27027

Hall, James. 1883. New York State Geologist Rpt., 1882. pl.23,f.3-7.

= *Receptaculites infundibuliformis* Eaton.
Hypotype. Hall, James and G.B. Simpson. 1887. Paleont. New York. v.6,p.290,pl.24,f.3-7.= *Receptaculites infundibuliformis* Eaton.
Hypotype. Girty, G.H. 1895. New York St. Mus., 48th Ann. Rpt., 1894. v.2,p.271.

Early Devonian, Helderberg Grp. Lower Helderberg, Clarksville, Albany Co., New York, USA.

***Receptaculites pedunculatus* Twenhofel**

HOLOTYPE YPM 23286

Twenhofel, W.H. 1938b. Trans. Wisconsin Acad. Sci. Arts Let. n.11,p.546.

= *Ischadites keonigi* Murchison. Nitecki, M.H. 1972. Fieldiana: Geol. v.28,p.55,tf.24d.

Middle Silurian. Either upper part of the Coral Beds [Waukesha Dolomite] or lower part of the Racine Dolomite, a quarry near Cedarburg, about 16 mi N and a little west of Milwaukee, Ozaukee Co., Wisconsin, USA.

***Rosenella(?) densa* Parks**

HOLOTYPE YPM 13258

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.13,pl.3,f.4,pl.8,f.7.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.134.

Middle Silurian, Niagaran, La Vieille Fm. Along RR cut just W of Yale Peabody Museum Invertebrate Paleontology Locality B0900, W of water tower, Anse a La Vieille, Quebec, Canada. Collector: Northrop, S.A., 1927.

***Spongia* gen. et sp.**

HYPOTYPE YPM 13291

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.35.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.131.

Middle Silurian, Niagaran, Bouleaux Fm. Upper Bouleaux, upper 300 ft of sandy shales of Black Cape section, Quebec, Canada. Collector: Schuchert, C.

HYPOTYPE YPM 30881

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.34.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.131.

Middle Silurian, Niagaran, La Vieille Fm. knobby layers in lower part of fm, shore of Port Daniel Barrachois, W side, just N of Legrande Hotel, Quebec, Canada. Collector: Dart, J.D., 1922.

***Stereodictyum orthoplectum* Finks**

PARATYPE YPM 19594A, 19594B

Finks, R.M. 1960. Bull. Am. Mus. Nat. Hist. v.120,art.1,p.108.

Early Permian, Wolfcampian, Wolfcamp Fm. 1 mi NW of Wolfcamp, Section 23, bed 12 of Wolfcamp section and above, differentiated into 2 parts, low and high, Glass Mountains, Brewster Co., Texas, USA. Collector: King, R.E.

PARATYPE YPM 20201A, 20201B, 20201C

Finks, R.M. 1960. Bull. Am. Mus. Nat. Hist. v.120,art.1,p.108.

Early Permian, Leonardian, Hess Limestone. Upper fossil horizon, on scarp E of head of E fork of Hess Canyon about 0.25 mi below and SE of hill 5767, Glass Mountains, Brewster Co., Texas, USA. Collector: King, R.E.

***Stioderma coscinum* Finks**

PARATYPE YPM 19593

Finks, R.M. 1960. Bull. Am. Mus. Nat. Hist. v.120,art.1,p.133,pl.47,f.7,8.

Early Permian, Leonardian, Leonard Fm. Section on Baylor Mts, beds 5-6, mostly bed 5, Sierra Diablo, Culberson Co., Texas, USA. Collector: King, R.E.

***Strobilospongia aurita* (Beecher)**

HOLOTYPE YPM 27603

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.28,pl.5,f.1.

Middle Ordovician, Trenton Limestone. Brachiosponge bed, Benson Creek, Franklin Co., Kentucky, USA. Collector: Hovey, H.C.

***Strobilospongia* sp.**

HYPOTYPE YPM 27604

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.27,pl.5,f.2.

Middle Ordovician, Trenton Limestone. Benson Creek, Franklin Co., Kentucky, USA. Collector: Hovey, H.C.

HYPOTYPE YPM 27605

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.27,pl.5,f.3.

Middle Ordovician, Trenton Limestone. Brachiosponge bed, Bridgeport, Franklin Co., Kentucky, USA. Collector: Beecher, C.E., 1888.

HYPOTYPE YPM 27606

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.27,pl.5,f.4.

Middle Ordovician, Trenton Limestone. Benson Creek, Franklin Co., Kentucky, USA. Collector: Hovey, H.C.

HYPOTYPE YPM 27613†

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.27,pl.6,f.1.

Middle Ordovician, Trenton Limestone. Bridgeport, Franklin Co., Kentucky, USA. Collector: Beecher, C.E., 1888.

HYPOTYPE YPM 27614†

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.27,pl.6,f.2.

Middle Ordovician, Trenton Limestone. Benson Creek, Franklin Co., Kentucky, USA. Collector: Beecher, C.E., 1888.

†Each of these specimens include one thin section, respectively.

***Strobilospongia tuberosa* Beecher**

SYNTYPE YPM 4665

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.26,pl.6,f.3-5.

=*Pattersonia tuberosa*. Rauff, H. 1894. Palaeont. (Stuttgart). v.40,tf.51.

SYNTYPE YPM 27607

Beecher, C.E. 1889. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,p.26,pl.5,f.5c, pl.6,f.6,7.

Middle Ordovician, Trenton Limestone. Turner's Station, Kentucky, USA. Collector: Fischer, M.

***Stromatocerium canadense minimum* Parks**

SYNTYPE YPM 42989†

Parks, W.A. 1910. Toronto Univ. Stud. Geol. Ser. n.7,p.20.††

Middle Ordovician, Trenton Limestone. Benson Creek or Cedar Run. Franklin Co., Kentucky, USA. Collector: Beecher, C.E., 1888.

†A thorough search of the collections by the curatorial staff in the 1960s and 1980s failed to locate this specimen. It is believed to be permanently lost.

††This specimen was incorrectly cited as 11965.

***Stromatopora carteri* Nicholson**

HYPOTYPE YPM 13261

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.17,pl.3,f.8,pl.4,f.1.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.135.

Middle Silurian, Niagaran, Gascons Fm. Dark green shale at mouth of Chourinard Brook E of Gascons, Quebec, Canada. Collector: Schuchert, C., 08/1923.

***Stromatopora cf. carteri* (A) Nicholson**

HYPOTYPE YPM 13231

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.135.

Middle Silurian, Niagaran, Bouleaux Fm. Shore, E side of Reddish Point extending into Anse-aux-Gascons, Quebec, Canada. Collector: Northrop, S.A., 1927.

***Stromatopora cf. carteri* (B) Nicholson**

HYPOTYPE YPM 13259

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.135.

Middle Silurian, Niagaran, Bouleaux Fm. Shore, E side of Reddish Point extending into Anse-aux-Gascons, Quebec, Canada. Collector: Northrop, S.A., 1927.

HYPOTYPE YPM 13265

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.135.

Middle Silurian, Niagaran, Gascons Fm. Shore, center of Anse-aux-Gascons, Quebec, Canada. Collector: Northrop, S.A., 1927.

HYPOTYPE YPM 13275

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.135.

Middle Silurian, Niagaran, West Point Fm. Shore, W of lighthouse, just W of Little Cove [W of Yale Peabody Museum Invertebrate Paleontology Locality B0948] between West Point and Indian Point, Quebec, Canada. Collector: Northrop, S.A., 1927.

HYPOTYPE YPM 13295

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.135.

Middle Silurian, Niagaran, Bouleaux Fm. Shore, E side of Reddish Point extending into Anse-aux-Gascons, Quebec, Canada. Collector: Northrop, S.A., 1927.

HYPOTYPE YPM 13300

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.135.

Middle Silurian, Niagaran, West Point Fm. Shore, W of lighthouse, just W of Little Cove [W of Yale

Peabody Museum Invertebrate Paleontology Locality B0948] between West Point and Indian Point, Quebec, Canada. Collector: Northrop, S.A., 1927.

***Stromatopora constellata* Hall**

HYPOTYPE YPM 13257

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.16,pl.3,f.6,7.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.134.

HYPOTYPE YPM 13277

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.134.

Middle Silurian, West Point Fm. 1 mi W of West Point Lighthouse, Port Daniels, Quebec, Canada. Collector: Schuchert, C., 1924.

***Stromatopora aff. constellata* Hall**

HYPOTYPE YPM 13209

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.134.

Middle Silurian, Niagaran, Bouleaux Fm. Shore of bay, Anse a La Barbe, Quebec, Canada. Collector: Schuchert, C., 08/1905.

HYPOTYPE YPM 13226

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.134.

Middle Silurian, La Vieille Fm. SW corner of barachois, Port Daniel Gaspe Peninsula, Quebec, Canada. Collector: Schuchert, C., 1924.

HYPOTYPE YPM 13244

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.134.

Middle Silurian, Niagaran, Clemville Fm. From the blocky shaly beds in the lower ss, 17 ft above the base of the Silurian, near Anse a La Vieille, Quebec, Canada. Collector: Schuchert, C., 08/1923.

HYPOTYPE YPM 13246

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.134.

Middle Silurian, Niagaran, Bouleaux Fm. Shore, E side of Reddish Point extending into Anse aux Gascons, Quebec, Canada. Collector: Northrop, S.A., 1927.

HYPOTYPE YPM 13256

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.134.

Middle Silurian, La Vieille Fm. SW corner of barachois, Port Daniel Gaspe Peninsula, Quebec, Canada. Collector: Schuchert, C., 1924.

HYPOTYPE YPM 13270

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.134.

Middle Silurian, Niagaran, West Point Fm. Shore, W of lighthouse [W of Yale Peabody Museum Invertebrate Paleontology Locality B949] between West Point and Indian Point, Quebec, Canada. Collector: Northrop, S.A., 1927.

HYPOTYPE YPM 13278, 13279

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.134.

Middle Silurian, West Point Fm. 1 mi W of West Point Lighthouse, Port Daniels, Quebec, Canada. Collector: Schuchert, C., 1924.

HYPOTYPE YPM 13297

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.134.

Middle Silurian, Niagaran, La Vieille Fm. First limestone outcrop, Anse a La Barbe River, lower limit of Range IV, Quebec, Canada. Collector: Northrop, S.A., 1927.

***Stromatopora prima* (Parks)**

See *Stromatoporella alcocki* Parks,
Stromatoporella chouinardensis Parks,
Stromatoporella crassa Parks and
Stromatoporella prima Parks.

***Stromatopora* sp. A**

HYPOTYPE YPM 13225

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.23.[†]

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.[†]

Middle Silurian, La Vieille Fm. SW corner of barachois, Port Daniel Gaspe Peninsula, Quebec, Canada. Collector: Schuchert, C., 1924.

[†]A fragment and four thin sections of YPM 13241 was returned from Royal Ontario Museum (ROM 23141).

***Stromatopora* sp. B**

HYPOTYPE YPM 13212

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, Niagaran, Bouleaux Fm. Shore of bay, Anse a La Barbe, Quebec, Canada. Collector: Schuchert, C., 08/1905.

HYPOTYPE YPM 13232

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, Niagaran, La Vieille Fm. In road near top of hill above RR crossing, Anse a La Vieille, Quebec, Canada. Collector: Northrop, S.A., 1927.

HYPOTYPE YPM 13235, 13238

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, Niagaran, La Vieille Fm. Near the top of the Limestone, ridge W of Port Daniel RR station which extends from Clemville N to Barrachois, Quebec, Canada. Collector: Schuchert, C., 08/1923.

HYPOTYPE YPM 13242

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, Niagaran, Clemville Fm. *Camarotoechia fringilla* zone, Little Port Daniel River, about 0.25 mi up stream from bridge, outskirts of Clemville, Quebec, Canada. Collector: Schuchert, C., 08/1923.

HYPOTYPE YPM 13247

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, Niagaran, West Point Fm. Beach shingle derived from zone 21, shore section E of Black Cape, Quebec, Canada. Collector: Northrop, S.A., 1927.

HYPOTYPE YPM 13251, 13253, 13254

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, La Vieille Fm. SW corner of barachois, Port Daniel Gaspe Peninsula, Quebec, Canada. Collector: Schuchert, C., 1924.

HYPOTYPE YPM 13263

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, Niagaran, La Vieille Fm. Along RR cut just W of Yale Peabody Museum Invertebrate Paleontology Locality B0900, W of water tower, Anse a La Vieille, Quebec, Canada. Collector: Northrop, S.A., 1927.

HYPOTYPE YPM 13269

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, Niagaran, La Vieille Fm. High in limestone, top of high ridge which ends abruptly at W side of Port Daniel barrachois, Quebec, Canada. Collector: Dart, J.D., 1922.

HYPOTYPE YPM 13280

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, West Point Fm. 1 mi W of West Point Lighthouse, Port Daniels, Quebec, Canada. Collector: Schuchert, C., 1924.

HYPOTYPE YPM 13289

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, Niagaran, Bouleaux Fm. Upper Bouleaux, upper 300 ft of sandy shales of Black Cape section, Quebec, Canada. Collector: Schuchert, C.

***Stromatopora(?) aporita* Parks**

HOLOTYPE YPM 13240†

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.20,pl.4,f.6,7.

=*Stromatopora?* *aporita*. Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, Bouleaux Fm. Base of Bouleaux, W side of McGinnis Cove, E of Port Daniel, Quebec, Canada. Collector: Schuchert, C.

HYPOTYPE YPM 13215

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.20.

=*Stromatopora?* *aporita*. Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, Bouleaux Fm. Loose on beach, Anse a La Barbe, Gascons, Quebec, Canada. Collector: Schuchert, C., 1905.

[†]A thorough search of the collections by the curatorial staff in the 1980s failed to locate this specimen. It is believed to be permanently lost.

***Stromatopora?* *aporita* Parks**

HYPOTYPE YPM 13216, 13217

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, Bouleaux Fm. Loose on beach, Anse a La Barbe, Gascons, Quebec, Canada. Collector: Schuchert, C., 1905.

See also *Stromatopora?* *aporita* Parks.

***Stromatopora?* cf. *aporita* Parks**

HOLOTYPE YPM 13210

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.20.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, Niagaran, Bouleaux Fm. Shore of bay, Anse a La Barbe, Quebec, Canada. Collector: Schuchert, C., 08/1905.

***Stromatopora?* *aporita tenuis* Parks**

HYPOTYPE YPM 13273

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, West Point Fm. Intermediate beds near upper pink, Harrington cove, Port Daniel, Quebec, Canada. Collector: Schuchert, C., 1924.

See also *Stromatopora?* *aporita tenuis* Parks.

***Stromatopora?* *aporita tenuis* Parks**

HOLOTYPE YPM 13218

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.21,pl.4,f.8.[†]

=*Stromatopora?* *aporita tenuis*. Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, Bouleaux Fm. Loose on beach, Anse a La Barbe, Gascons, Quebec, Canada. Collector: Schuchert, C., 1905.

[†]Incorrectly cited as YPM 13273.

***Stromatopora?* *atlantica* Parks**

SYNTYPE YPM 13222

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.22,pl.8,f.4.[†]

=*Stromatopora?* *atlantica*. Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

SYNTYPE YPM 13224

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.22.

=*Stromatopora?* *atlantica*. Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, La Vieille Fm. SW corner of barachois, Port Daniel Gaspe Peninsula, Quebec, Canada. Collector: Schuchert, C., 1924.

[†]Incorrectly cited as pl.8,f.3.

***Stromatopora?* *atlantica* Parks**

See *Stromatopora?* *atlantica* Parks.

***Stromatopora?* cf. *atlantica* Parks**

HYPOTYPE YPM 13220, 13223

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.136.

Middle Silurian, La Vieille Fm. SW corner of barachois, Port Daniel Gaspe Peninsula, Quebec, Canada. Collector: Schuchert, C., 1924.

***Stromatopora?* *dartiana* Parks**

HOLOTYPE YPM 13241

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.19,pl.4,f.4,5.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.135.[†]

Middle Silurian, Bouleaux Fm. Base of Bouleaux, W side of McGinnis Cove, E of Port Daniel, Quebec, Canada. Collector: Schuchert, C.

[†]A fragment and four thin sections of YPM 13241 was returned from Royal Ontario Museum (ROM 23141).

***Stromatoporella* *alcocki* Parks**

HOLOTYPE YPM 13293

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.31,pl.6,f.6,7.[†]

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.138.[†]

=*Stromatopora prima* (Parks). Hypotype. Stearn, C.W. and Claude Hubert. 1966. Can. J. Earth Sci. v.3,p.43.[†]

Middle Silurian, Niagaran, Bouleaux Fm. Upper Bouleaux, upper 300 ft of sandy shales of Black Cape section, Quebec, Canada. Collector: Schuchert, C.

[†]A fragment of YPM 13293 was returned from Royal Ontario Museum (ROM 23156).

***Stromatoporella chouinardensis* Parks**

HOLOTYPE YPM 13296

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.30,pl.6,f.4,5.[†]

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.138.[†]

=*Stromatopora prima* (Parks). Hypotype. Stearn, C.W. and Claude Hubert. 1966. Can. J. Earth Sci. v.3,p.43.[†]

Middle Silurian, Niagaran, Gascons Fm. Dark green shale at mouth of Chourinard Brook E of Gascons, Quebec, Canada. Collector: Schuchert, C., 08/1923.

[†]A fragment of YPM 13293 was returned from Royal Ontario Museum (ROM 23147).

***Stromatoporella crassa* Parks**

HOLOTYPE YPM 13262

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.29,pl.6,f.1,2.[†]

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.137.[†]

=*Stromatopora prima* (Parks). Hypotype. Stearn, C.W. and Claude Hubert. 1966. Can. J. Earth Sci. v.3,p.43.[†]

Middle Silurian, Niagaran, Gascons Fm. Dark green shale at mouth of Chourinard Brook E of Gascons, Quebec, Canada. Collector: Schuchert, C., 08/1923.

[†]A fragment of YPM 13262 was returned from Royal Ontario Museum (ROM 23149).

***Stromatoporella cf. crassa* (B) Parks**

HYPOTYPE YPM 13292

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.137.

Middle Silurian, Niagaran, Bouleaux Fm. Upper Bouleaux, upper 300 ft of sandy shales of Black Cape section, Quebec, Canada. Collector: Schuchert, C.

***Stromatoporella prima* Parks**

HOLOTYPE YPM 13294

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.28,pl.5,f.6,8.[†]

=*Stromatopora prima* (Parks). Stearn, C.W. and Claude Hubert. 1966. Can. J. Earth Sci. v.3,p.43.[†]

Middle Silurian, Niagaran, Bouleaux Fm. Upper Bouleaux, upper 300 ft of sandy shales of Black Cape section, Quebec, Canada. Collector: Schuchert, C.

HYPOTYPE YPM 13249

Parks, W.A. 1933. Toronto Univ. Stud. Geol. Ser. n.33,p.28,pl.5,f.7.

Northrop, S.A. 1939. Spec. Pap. Geol. Soc. Am. n.21,p.137.

Middle Silurian, Niagaran, West Point Fm. Beach shingle derived from zone 21, shore section E of Black Cape, Quebec, Canada. Collector: Northrop, S.A., 1927.

[†]A fragment of YPM 13294 was returned from Royal Ontario Museum (ROM 23152).

***Stylopegma conica* King**

HOLOTYPE YPM 16596

King, R.H. 1943. Bull. Kansas Geol. Surv. n.47,pt.1,p.20,pl.2,f.2.

Early Permian, Wolfcampian, Wolfcamp Fm. Section 24, bed 4, Wolf Camp, Glass Mountains, Brewster Co., Texas, USA. Collector: King, R.E.

***Stylopegma dulce* King**

HOLOTYPE YPM 16594

King, R.H. 1943. Bull. Kansas Geol. Surv. n.47,pt.1,p.19,pl.2,f.6,7.

PARATYPE YPM 16597

King, R.H. 1943. Bull. Kansas Geol. Surv. n.47,pt.1,p.19,pl.3,f.4.

Early Permian, Leonardian, Leonard Fm. Section on Baylor Mts, beds 8-9, mostly bed 9, Sierra Diablo, Culberson Co., Texas, USA. Collector: King, R.E.

Syringostroma barretti Girty

HYPOTYPE YPM 22454†

Girty, G.H. 1895. New York St. Mus., 48th Ann. Rpt., 1894. v.2,p.296.††

=*Habrostoma barriti*. Fagerstrom, J.A. 1982 Bull. Geol Surv. Can. n.339,p.13.

=*Paralelostroma barretti*. Stock, C.W. and A.E. Holmes. 1986. J. Paleont. v.60,n.3,p.564.

=*Paralelostroma microporum* (Girty).

Hypotype. Stock, C.W. 1988. J. Paleont. v.62,n.1,p.15.†††

Early Devonian, Helderberg Grp, Coeymans Limestone. Cedarville, Albany Co., New York, USA.

†YPM 22454 includes two thin sections (22454A-22454B) and no hand specimen.

††A penciled label found with these two thin sections reads "not type" in G.H. Girty's handwriting.

†††Stock (1988) includes this species (YPM 22454) in the synonymy for ?*Paralelostroma microporum* but refers to it as "*Syringostroma consimile*" in the text on p.15, in the explanation for tbl.4 and in the explanation for tf.5.5-6.

Syringostroma centrotum Girty

HOLOTYPE YPM 22449†

Girty, G.H. 1895. New York St. Mus., 48th Ann. Rpt., 1894. v.2,p.293,pl.7,f.1.

Parks, W.A. 1909. Toronto Univ. Stud. Geol. Ser. n.6,p.252.

=*Habrostoma centrotum*. Fagerstrom, J.A. 1982 Bull. Geol Surv. Can. n.339,p.13.

?*Paralelostroma centrotum*. Stock, C.W. 1988. J. Paleont. v.62,n.1,p.14,tbl.3,tf.4.3-6.

=*Habrostoma centrotum*. Stock, C.W. 1991 J. Paleont. v.65,n.6,p.905,tbl.3.

PARATYPE YPM 22419††, 22420††

Girty, G.H. 1895. New York St. Mus., 48th Ann. Rpt., 1894. v.2,p.293.

Parks, W.A. 1909. Toronto Univ. Stud. Geol. Ser. n.6,p.252.

?*Paralelostroma centrotum*. Stock, C.W. 1988. J. Paleont. v.62,n.1,p.14,tbl.3.

=*Habrostoma centrotum*. Stock, C.W. 1991 J. Paleont. v.65,n.6,p.905,tbl.3.

Early Devonian, Helderberg Grp, Coeymans Limestone. Cedarville, Albany Co., New York, USA. Collector: Beecher, C.E.

PARATYPE? YPM 22445 - 22448, 63285 - 63288†††

Girty, G.H. 1895. New York St. Mus., 48th Ann. Rpt., 1894 v.2,p.293.††††

Early Devonian, Helderberg Grp. Lower Pentamerus, Albany Co., New York, USA. Collector: Beecher, C.E.

PARATYPE? YPM 55129†††

Girty, G.H. 1895. New York St. Mus., 48th Ann. Rpt., 1894 v.2,p.293.††††

Early Devonian, Helderberg Grp. Lower Helderberg, Cedarville, Herkimer Co., New York, USA.

†This specimen includes four thin sections (22449A-22449D).

††YPM 22419 and YPM 22420 include two thin sections (22419A-22419B) and (22420A-22420B), respectively.

†††Each of these specimens includes one thin section, respectively.

††††It is unclear from Girty (1895) whether or not this thin section is part of the type series, however, they were found in association with 22419, 22420 and 22449.

Syringostroma consimile Girty

HYPOTYPE YPM 5527†

Girty, G.H. 1895. New York St. Mus., 48th Ann. Rpt., 1894 v.2,p.297.

Parks, W.A. 1909. Toronto Univ. Stud. Geol. Ser. n.6,p.254,pl.18,f.14.

=*Habrostoma consimile*. Fagerstrom, J.A. 1982 Bull. Geol Surv. Can. n.339,p.13.

?*Paralelostroma microporum* (Girty). Hypotype. Stock, C.W. 1988. J. Paleont. v.62,n.1,p.15,tbl.4,tf.5.5-6.††

=*Habrostroma microporum* Girty. Stock, C.W. 1991 J. Paleont. v.65,n.6,p.906,tbl.6.

Early Devonian, Helderberg Grp, Coeymans Limestone. Cedarville, Albany Co., New York, USA. Collector: Beecher, C.E.

[†]This specimen includes four thin sections (5527A-5527D).

^{††}Stock (1988) includes this specimens (YPM 5527) in the synonymy for ?*Parallelostroma microporum* but refers to it as "Syringostroma consimile" in the text on p.15, in the explanation for tbl.4 and in the explanation for tf.5.5-6.

Syringostroma foveolata (Girty)

See *Syringostroma foveolatum* Girty.

Syringostroma foveolatum Girty

HOLOTYPE YPM 22451[†]

Girty, G.H. 1895. New York St. Mus., 48th Ann. Rpt., 1894. v.2,p.295,pl.6,f.8.

=*Syringostroma foveolata*. Parks, W.A. 1909. Toronto Univ. Stud. Geol. Ser. n.6, p.260,pl.16,f.1,2.

=*Habrostroma foveolatum*. Fagerstrom, J.A. 1982 Bull. Geol Surv. Can. n.339,p.13.

=*Parallelostroma foveolatum*. Stock, C.W. and A.E. Holmes. 1986. J. Paleont. 60:3,p.572.

=*Parallelostroma foveolatum*. Stock, C.W. 1988. J. Paleont. v.62,n.1,p.12,tbl.2,tf.3.5-6.

PARATYPE YPM 22174-22175[†]

Girty, G.H. 1895. New York St. Mus., 48th Ann. Rpt., 1894 v.2,p.295.

=*Syringostroma foveolata*. Parks, W.A. 1909. Toronto Univ. Stud. Geol. Ser. n.6,p.260.

=*Parallelostroma foveolatum*. Stock, C.W. 1988. J. Paleont. v.62,n.1,p.12,tbl.2.

Early Devonian, Helderberg Grp, Coeymans Limestone. Cedarville, Albany Co., New York, USA. Collector: Beecher, C.E.

[†]YPM 22174 includes six thin sections (22174A-22174F) and YPM 22175 and YPM 22451, each include one thin section, respectively.

Syringostroma microporum Girty

HOLOTYPE YPM 9195[†]

Girty, G.H. 1895. New York St. Mus., 48th Ann. Rpt., 1894 v.2,p.296.

Parks, W.A. 1909. Toronto Univ. Stud. Geol. Ser. n.6,p.259,pl.17,f.3,4.

=?*Parallelostroma microporum*. Stock, C.W. 1988. J. Paleont. v.62,n.1,p.15,tbl.4,tf.5.3-4.

=*Habrostroma microporum*. Stock, C.W. 1991 J. Paleont. v.65,n.6,p.906,tbl.6.

Early Devonian, Helderberg Grp, Coeymans Limestone. Cedarville, Albany Co., New York, USA. Collector: Beecher, C.E.

[†]This specimen includes ten thin sections (9195A-9195J).

Twenhofeletta anticostiana (Twenhofel)

See *Hyalostelia anticostiana* Twenhofel.

Tylodictya warrenensis Hall & Clarke

HOLOTYPE YPM 24836

Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.151,tf.19-20.

HYPOTYPE YPM 24837

Hall, James and J.M. Clarke. 1898. New York St. Mus. Mem. n.2,p.151,tf.18.

Early Mississippian, Waverly Grp. Sandstone of the Waverly Grp at Warren, Warren Co., Pennsylvania, USA. Collector: Beecher, C.E.

Acknowledgements

Many thanks to Willard Hartman, Keith Rigby and Carl Stock for reviewing this manuscript and to Michael Gibson and Cope MacClintock for clarifying the *Brachiospongia* references. Brent Horstman edited and formatted this catalog.

Literature Cited

- Beecher, C.E.** 1889. Brachiospongidae; a memoir on a group of Silurian sponges. Mem. Peabody Mus. Nat. Hist., Yale Univ. v.2,pt.1,28pp.,4tf.,6pl.
- Caster, K.E.** 1939. Siliceous sponges from Mississippian strata of the Penn-New York Embayment. J. Paleont. v.13, n.1,pp. 1-20,8tf.,4pl.
- Cullison, J.S.** 1944. The stratigraphy of some Lower Ordovician formations of the Ozark Uplift. Bull. Tech. Ser. Missouri Univ. Sch. Mines Met. v.15, n.2,112pp.,35pl.
- Fagerstrom, J.A.** 1982. Stromatoporoids of the Detroit River Group and adjacent rocks (Devonian) in the vicinity of the Michigan Basin. Bull. Geol Surv. Can. n.339,62pp.,8tbl.,8pl.
- Finks, R.M.** 1960. Late Paleozoic sponge faunas of the Texas region; the siliceous sponges. Bull. Am. Mus. Nat. Hist. v.120,art.1,160pp.,22tf.,50pl.
- Forster, A.F.** 1909. Preliminary notes on Cincinnati and Lexington fossils. Bull. Denison Univ. Sci. Lab. v.14,pp.289-324,5pl.
- Galloway, J.J. and Joseph St. Jean, Jr.** 1961. Ordovician Stromatoporoidea of North America. Bull. Am. Paleont. v.43, n.194,106pp.,13pl.
- Girty, G.H.** 1895. A revision of the sponges and coelenterates of the Lower Helderberg Group of New York. New York St. Mus., 48th Ann. Rpt., 1894. v.2,pp.261-309
- Hall, James.** 1883. Fossil corals and bryozoans of the Lower Helderberg Group. New York State Geol. Rpt.,1882.17pp.,33pl.
_____. 1884. Descriptions of the species of fossil reticulate sponges, constituting the family Dictyospongidae. New York St. Mus., 35th Ann. Rpt., 1883. pp.465-482,4pl.
- _____. and G.B. Simpson. 1887. Corals and bryozoa; descriptions and figures of species from the Lower Helderberg, Upper Helderberg, and Hamilton groups. Paleont. New York.v.6,298pp.,66pl.
- _____. and J.M. Clarke. 1898. A memoir on the Paleozoic reticulate sponges constituting the family Dictyospongidae. New York St. Mus. Mem. n.2,350pp.,45tf.,70pl.
- Hartman, W.D. and T.F. Goreau.** 1970. Jamaican coralline sponges: Their morphology, ecology and fossil relatives. Sym. Zool. Soc. London. pp.205-243,22tf.,1tbl.
- Hovey, H.C.** 1875. Brachiospongia. Trans. Kansas Acad. Sci., 1874. v.3,pp.10-11,2tf.
- International Commission on Zoological Nomenclature.** 1985. *International code of zoological nomenclature / adopted by the XX International union of biological sciences;* W.L . Ride, C.W. Sabrosky, G. Bernardi and R.V. Melville (eds.). Berkeley: University of California Press, 338 pp.
- King, R.H.** 1943. New Carboniferous and Permian sponges. Bull. Kansas Geol. Surv. n.47,pt.1,36pp.,2tf.,3pl.
- Linney, W.M.** 1884. Report on the geology of Spencer and NeLimestoneon counties (Kentucky). Kentucky Geol. Surv. 59 pp.
- MacLachlan, W.A., T.W. Bryant, E.D. Judkins, R.C. Koozmin, R.C. Orndorff, M.L. Hubert, C.R. Murdock, S.W. Starrat and J.R. Le Compte** (compilers). 1992. Stratigraphic nomenclature databases for the United States, its possessions and territories: Geologic Names Unit Lexicon (GNULEX). U.S. Geological Survey, Denver. 1 CD-ROM.
- Marsh, O.C.** 1867. Notice of a new genus of fossil sponges from the Lower Silurian. Am. J. Sci. ser.2,v.44,n.30,p.88.
_____. 1868. On some new fossil sponges from the Lower Silurian. Proc. Am. Assoc. Adv. Sci., p.160.
- Newell, N.D.** 1935. Some Mid-Pennsylvanian invertebrates from Kansas and Oklahoma. II. Stromatoporoidea, Anthozoa, and Coelenterata. J. Paleont. v.9,n.4,pp.341-355,4pl.
- Nitecki, M.H.** 1967. Bibliographic index of North American archaeocyathids. Fieldiana: Geol. v.17pp.105-220.
_____. 1972. North American Silurian receptaculated Algae. Fieldiana: Geol. v.28,pp.1-108.

- Northrop, S.A.** 1939. Paleontology and stratigraphy of the Silurian rocks of the Port Daniel-Black Cape Region, Gaspe. Spec. Pap. Geol. Soc. Am. n.21,302pp.,1tf.,4tbl.,28pl.
- Okulitch, V.J.** 1943. North American Pleospongia. Spec. Pap. Geol. Soc. Am. n.6,112pp.,5pl.
— 1946. Intervallum structure of *Cambrocyathrus amourensis*. J. Paleont. v.20,n.3,pp.275-276,1pl.
- Parks, W.A.** 1909. Silurian stromatoporoids of America (Exclusive of Niagara and Guelph). Toronto Univ. Stud. Geol. Ser. n.6,pp.243-292,5pl.
— 1910. Ordovician stromatoporoids of America. Toronto Univ. Stud. Geol. Ser. n.7,pp.295-344,5pl.
— 1933. New species of Stromatoporoids, sponges, and corals from the Silurian Strata of Baie des Chaleurs. Toronto Univ. Stud. Geol. Ser. n.33,pp.1-40,8pl.
— 1935. Systematic position of the Stromatoporoidea. J. Paleont. v.9,n.1,pp.18-29,2pl.
— 1936. Devonian stromatoporoids of North American, Part I. Toronto Univ. Stud., Geol. Ser. n.39,125pp.,19pl.
- Rauff, H.** 1894. Palaeospungeologie. Palaeont. (Stuttgart). v.40,346pp.
- Raymond, P.E.** 1925. Some trilobites of the lower Middle Ordovician of eastern North America. Bull. Mus. Comp. Zool. v.67,n.1,pp.1-180,10pl.
- Rigby, J.K.** 1967. Two new Early Paleozoic sponges and the sponge-like organism, *Gaspespongia basalis* Parks, from the Gaspe Peninsula, Quebec. J. Paleont. v.41,n.3, pp.766-775,5tf.,2pl.
— 1974. *Vaurealsponia* and *Twenhofeletta*, two new brachiospongid and hexactinellid sponges from the Ordovician and Silurian of Anticosti Island, Quebec. Can. J. Earth Sci. v.11,n.10,pp.1342-1349,3tf.
— and M.H. Nitecki. 1968. Annotated bibliography of lower Paleozoic sponges of North America. Fieldiana: Geol. v.18,n.1,pp.146.
- Shrock, R.R. and W.H. Twenhofel.** 1939. Silurian fossils from Northern Newfoundland. J. Paleont. v.13,n.3,pp.241-266,3tf.,4pl.
- Stearn, C.W. and Claude Hubert.** 1966. Silurian stromatoporoids of the Matapedia-Temiscouata Area, Quebec. Can. J. Earth Sci. v.3,pp.31- 8,2tf.,2tbl.,5pl.
- Stock, C.W.** 1988. Lower Devonian (Gedinnian) Stromatoporoidea of New York: Redescription of the type specimens of Girty (1895). J. Paleont. v.62,n.1,pp.8-21,6tf.,2tb.
— 1991. Lower Devonian (Lochkovian) Stromatoporoidea from the Manlius Formation of New York. J. Paleont. v.65,n.6,pp.897-911.
— and A.E. Holmes. 1986. Upper Silurian/Lower Devonian Stromatoporoidea from the Keyser Formation at Mustoe, Highland County, west-central Virginia. J. Paleont. v.60,n.3,pp.555-580,7tf.
- Troost, G.** 1838. Description d'un Nouveau Genre de Fossiles. Mem. Geol. Soc. France. v.3,n.4,pp.87-96,3pl.
- Twenhofel, W.H.** 1926. Hunting fossils on Anticosti Island. Nat. Hist. v.26,n.5, pp.515-524,9tf.
— 1928. Geology of Anticosti Island. Mem. Can. Geol. Surv. n.154,481pp.,1tf.,60pl.
— 1938a. Geology and paleontology of the Mingan Islands, Quebec. Spec. Pap. Geol. Soc. Am. n.11,132pp.,1tf.,1tbl.,24pl.
— 1938b. A new species of *Receptaculites* (*R. pedunculatus*) from the Silurian strata of eastern Wisconsin. Trans. Wisconsin Acad. Sci. Arts Let. n.11,pp.44-54,2pl.
- Wood, R., J. Reitner and R.R. West.** 1989. Systematics and phylogenetic implications of the haplosclerid stromatoporoid *Newella mira* nov. gen. Lethaia. v.22,n.1,pp.85-93.

Related type catalogs in this series

- White, R.D.** 1995. A type catalog of fossil invertebrates (Arthropoda: Hexapoda) in the Yale Peabody Museum. Postilla (Peabody Mus. Nat. Hist., Yale Univ.). n.209,55pp.
- _____. 1996a. A type catalog of fossil invertebrates (Arthropoda: Crustacea) in the Yale Peabody Museum. Postilla (Peabody Mus. Nat. Hist., Yale Univ.). n.210,19pp.
- _____. 1996b. A type catalog of fossil invertebrates (Arthropoda: Chelicerata) in the Yale Peabody Museum. Postilla (Peabody Mus. Nat. Hist., Yale Univ.). n.211,13pp.
- _____. 1996c. A type catalog of fossil invertebrates (Graptolithina) in the Yale Peabody Museum. Postilla (Peabody Mus. Nat. Hist., Yale Univ.). n.212,23pp.

The Author

Russell D. White. Division of Invertebrate
Paleontology, Peabody Museum of Natural
History, Yale University, New Haven, CT
06520-8118.

Scan Order
Barcode:
39088012065108